

SBC

The Saudi Code for GFRP
Reinforced Concrete
SBC 311 - CC
Code & Commentaries



2024




TABLE OF CONTENTS

| | |
|--|-----------|
| PREFACE TO THE SAUDI GFRP REINFORCED CONCRETE (SGRC) CODE (SBC 311-2024) | I |
| TABLE OF CONTENTS | IV |
| CHAPTER 1 —GENERAL | 1 |
| 1.1 —SCOPE OF SBC 311F1 | 1 |
| 1.2 —GENERAL | 1 |
| 1.3 —PURPOSE | 1 |
| 1.4 —APPLICABILITY | 2 |
| 1.5 —INTERPRETATION | 3 |
| 1.6 —BUILDING OFFICIAL | 3 |
| 1.7 —LICENSED DESIGN PROFESSIONAL | 3 |
| 1.8 —CONSTRUCTION DOCUMENTS AND DESIGN RECORDS | 4 |
| 1.9 —TESTING AND INSPECTION | 4 |
| 1.10 —APPROVAL OF SPECIAL SYSTEMS OF DESIGN, CONSTRUCTION, OR ALTERNATIVE CONSTRUCTION MATERIALS | 4 |
| CHAPTER 2 —NOTATION AND TERMINOLOGY | 6 |
| 2.1 —SCOPE | 6 |
| 2.2 —NOTATION | 6 |
| 2.3 —TERMINOLOGY | 11 |
| TABLES AND FIGURES OF CHAPTER 2 | 19 |
| CHAPTER 3 —REFERENCED STANDARDS | 21 |
| 3.1 —REFERENCED STANDARDS | 21 |
| CHAPTER 4 —STRUCTURAL SYSTEM REQUIREMENTS | 24 |
| 4.1 —SCOPE | 24 |
| 4.2 —MATERIALS | 24 |
| 4.3 —DESIGN LOADS | 24 |
| 4.4 —STRUCTURAL SYSTEM AND LOAD PATHS | 24 |
| 4.5 —STRUCTURAL ANALYSIS | 26 |
| 4.6 —STRENGTH | 26 |
| 4.7 —SERVICEABILITY | 26 |
| 4.8 —DURABILITY | 27 |
| 4.9 —SUSTAINABILITY | 27 |
| 4.10 —STRUCTURAL INTEGRITY | 27 |
| 4.11 —FIRE RESISTANCE AND ELEVATED SERVICE TEMPERATURE | 27 |
| 4.12 —REQUIREMENTS FOR SPECIFIC TYPES OF CONSTRUCTION | 29 |
| 4.13 —CONSTRUCTION AND INSPECTION | 30 |
| 4.14 —STRENGTH EVALUATION OF EXISTING STRUCTURES | 30 |
| TABLES AND FIGURES OF CHAPTER 4 | 31 |
| CHAPTER 5 —LOADS | 34 |
| 5.1 —SCOPE | 34 |
| 5.2 —GENERAL | 34 |
| 5.3 —LOAD FACTORS AND COMBINATIONS | 34 |
| TABLES AND FIGURES OF CHAPTER 5 | 37 |
| CHAPTER 6 —STRUCTURAL ANALYSIS | 39 |

TABLE OF CONTENTS

| | |
|---|-----------|
| 6.1 —SCOPE | 39 |
| 6.2 —GENERAL | 39 |
| 6.3 —MODELING ASSUMPTIONS | 41 |
| 6.4 —ARRANGEMENT OF LIVE LOAD | 42 |
| 6.5 —SIMPLIFIED METHOD OF ANALYSIS FOR CONTINUOUS BEAMS AND ONE-WAY SLABS | 42 |
| 6.6 —FIRST-ORDER ANALYSIS | 42 |
| 6.7 —LINEAR ELASTIC SECOND-ORDER ANALYSIS | 47 |
| 6.8 —INELASTIC ANALYSIS—OUT OF SCOPE..... | 48 |
| 6.9 —ACCEPTABILITY OF FINITE ELEMENT ANALYSIS | 48 |
| TABLES AND FIGURES OF CHAPTER 6 | 49 |
| CHAPTER 7 —ONE-WAY SLABS | 53 |
| 7.1 —SCOPE | 53 |
| 7.2 —GENERAL | 53 |
| 7.3 —DESIGN LIMITS | 53 |
| 7.4 —REQUIRED STRENGTH | 53 |
| 7.5 —DESIGN STRENGTH..... | 54 |
| 7.6 —GFRP REINFORCEMENT LIMITS | 54 |
| 7.7 —GFRP REINFORCEMENT DETAILING | 55 |
| CHAPTER 8 —TWO-WAY SLABS | 58 |
| 8.1 —SCOPE | 58 |
| 8.2 —GENERAL | 58 |
| 8.3 —DESIGN LIMITS | 60 |
| 8.4 —REQUIRED STRENGTH | 60 |
| 8.5 —DESIGN STRENGTH..... | 62 |
| 8.6 —GFRP REINFORCEMENT LIMITS | 62 |
| 8.7 —GFRP REINFORCEMENT DETAILING | 63 |
| 8.8 —NONPRESTRESSED TWO-WAY JOIST SYSTEMS—OUT OF SCOPE..... | 64 |
| 8.9 —LIFT-SLAB CONSTRUCTION—OUT OF SCOPE..... | 64 |
| TABLES AND FIGURES OF CHAPTER 8 | 65 |
| CHAPTER 9 —BEAMS | 70 |
| 9.1 —SCOPE | 70 |
| 9.2 —GENERAL | 70 |
| 9.3 —DESIGN LIMITS | 70 |
| 9.4 —REQUIRED STRENGTH | 71 |
| 9.5 —DESIGN STRENGTH..... | 72 |
| 9.6 —GFRP REINFORCEMENT LIMITS | 73 |
| 9.7 —GFRP REINFORCEMENT DETAILING | 75 |
| 9.8 —ONE-WAY JOIST SYSTEMS | 79 |
| 9.9 —DEEP BEAMS—OUT OF SCOPE..... | 80 |
| TABLES AND FIGURES OF CHAPTER 9 | 81 |
| CHAPTER 10 —COLUMNS | 86 |
| 10.1 —SCOPE | 86 |
| 10.2 —GENERAL | 86 |
| 10.3 —DESIGN LIMITS | 86 |
| 10.4 —REQUIRED STRENGTH | 86 |
| 10.5 —DESIGN STRENGTH..... | 87 |
| 10.6 —GFRP REINFORCEMENT LIMITS..... | 87 |

TABLE OF CONTENTS

| | |
|--|------------|
| 10.7 —GFRP REINFORCEMENT DETAILING | 88 |
| TABLES AND FIGURES OF CHAPTER 10 | 90 |
| CHAPTER 11 —WALLS | 93 |
| 11.1 —SCOPE | 93 |
| 11.2 —GENERAL | 93 |
| 11.3 —DESIGN LIMITS | 93 |
| 11.4 —REQUIRED STRENGTH | 94 |
| 11.5 —DESIGN STRENGTH..... | 94 |
| 11.6 —GFRP REINFORCEMENT LIMITS..... | 95 |
| 11.7 —GFRP REINFORCEMENT DETAILING | 96 |
| 11.8 —ALTERNATIVE METHOD FOR OUT-OF-PLANE SLENDER WALL ANALYSIS—OUT OF SCOPE..... | 96 |
| TABLES AND FIGURES OF CHAPTER 11 | 97 |
| CHAPTER 12 —DIAPHRAGMS—NOT ADDRESSED | 99 |
| CHAPTER 13 —FOUNDATIONS | 101 |
| 13.1 —SCOPE | 101 |
| 13.2 —GENERAL | 101 |
| 13.3 —SHALLOW FOUNDATIONS | 103 |
| 13.4 —DEEP FOUNDATIONS..... | 104 |
| TABLES AND FIGURES OF CHAPTER 13 | 106 |
| CHAPTER 14 —PLAIN CONCRETE—NOT APPLICABLE | 109 |
| CHAPTER 15 —BEAM-COLUMN AND SLAB-COLUMN JOINTS | 111 |
| 15.1 —SCOPE | 111 |
| 15.2 —GENERAL | 111 |
| 15.3 —TRANSFER OF COLUMN AXIAL FORCE THROUGH THE FLOOR SYSTEM..... | 111 |
| 15.4 —DETAILING OF JOINTS | 112 |
| CHAPTER 16 —CONNECTIONS BETWEEN MEMBERS | 114 |
| 16.1 —SCOPE | 114 |
| 16.2 —CONNECTIONS OF PRECAST MEMBERS—OUT OF SCOPE | 114 |
| 16.3 —CONNECTIONS TO FOUNDATIONS | 114 |
| 16.4 —HORIZONTAL SHEAR TRANSFER IN COMPOSITE CONCRETE FLEXURAL MEMBERS | 115 |
| 16.5 —BRACKETS AND CORBELS—OUT OF SCOPE | 116 |
| CHAPTER 17 —ANCHORING TO CONCRETE—NOT ADDRESSED | 118 |
| CHAPTER 18 —EARTHQUAKE-RESISTANT STRUCTURES..... | 120 |
| 18.1 . 120 | |
| CHAPTER 19 —CONCRETE: DESIGN AND DURABILITY REQUIREMENTS | 122 |
| 19.1 —SCOPE | 122 |
| 19.2 —CONCRETE DESIGN PROPERTIES | 122 |
| 19.3 —CONCRETE DURABILITY REQUIREMENTS..... | 123 |
| 19.4 —GROUT DURABILITY REQUIREMENTS—OUT OF SCOPE..... | 125 |
| TABLES AND FIGURES OF CHAPTER 19 | 126 |
| CHAPTER 20 —GFRP REINFORCEMENT PROPERTIES, DURABILITY, AND EMBEDMENTS | 128 |
| 20.1 —SCOPE | 128 |
| 20.2 —GFRP BARS | 128 |

TABLE OF CONTENTS

| | |
|--|------------|
| 20.3 —PRESTRESSING STRANDS, WIRES, AND BARS—OUT OF SCOPE..... | 129 |
| 20.4 —HEADED SHEAR STUD REINFORCEMENT—OUT OF SCOPE | 130 |
| 20.5 —PROVISIONS FOR DURABILITY OF GFRP REINFORCEMENT | 130 |
| 20.6 —EMBEDMENTS..... | 131 |
| TABLES AND FIGURES OF CHAPTER 20..... | 132 |
| CHAPTER 21 —STRENGTH REDUCTION FACTORS..... | 134 |
| 21.1 —SCOPE..... | 134 |
| 21.2 —STRENGTH REDUCTION FACTORS FOR STRUCTURAL CONCRETE MEMBERS AND CONNECTIONS | 134 |
| TABLES AND FIGURES OF CHAPTER 21..... | 135 |
| CHAPTER 22 —SECTIONAL STRENGTH..... | 137 |
| 22.1 —SCOPE..... | 137 |
| 22.2 —DESIGN ASSUMPTIONS FOR MOMENT AND AXIAL STRENGTH..... | 137 |
| 22.3 —FLEXURAL STRENGTH..... | 138 |
| 22.4 —AXIAL STRENGTH OR COMBINED FLEXURAL AND AXIAL STRENGTH..... | 139 |
| 22.5 —ONE-WAY SHEAR STRENGTH..... | 140 |
| 22.6 —TWO-WAY SHEAR STRENGTH | 144 |
| 22.7 —TORSIONAL STRENGTH..... | 146 |
| 22.8 —BEARING..... | 149 |
| 22.9 —SHEAR FRICTION—OUT OF SCOPE..... | 150 |
| TABLES AND FIGURES OF CHAPTER 22..... | 151 |
| CHAPTER 23 —STRUT-AND-TIE METHOD—NOT ADDRESSED | 159 |
| CHAPTER 24 —SERVICEABILITY REQUIREMENTS..... | 161 |
| 24.1 —SCOPE..... | 161 |
| 24.2 —DEFLECTIONS DUE TO SERVICE-LEVEL GRAVITY LOADS | 161 |
| 24.3 —DISTRIBUTION OF GFRP FLEXURAL REINFORCEMENT IN ONE-WAY SLABS AND BEAMS..... | 164 |
| 24.4 —GFRP SHRINKAGE AND TEMPERATURE REINFORCEMENT | 165 |
| 24.5 —PERMISSIBLE STRESSES IN PRESTRESSED CONCRETE FLEXURAL MEMBERS—OUT OF SCOPE..... | 166 |
| 24.6 —PERMISSIBLE TENSILE STRESSES IN GFRP REINFORCEMENT | 167 |
| TABLES AND FIGURES OF CHAPTER 24..... | 168 |
| CHAPTER 25 —GFRP REINFORCEMENT DETAILS..... | 171 |
| 25.1 —SCOPE..... | 171 |
| 25.2 —MINIMUM SPACING OF GFRP REINFORCEMENT | 171 |
| 25.3 —STANDARD HOOKS, CROSSTIES, AND MINIMUM INSIDE BEND DIAMETERS | 171 |
| 25.4 —DEVELOPMENT OF GFRP REINFORCEMENT | 172 |
| 25.5 —SPLICES..... | 174 |
| 25.6 —BUNDLED REINFORCEMENT—OUT OF SCOPE..... | 175 |
| 25.7 —GFRP TRANSVERSE REINFORCEMENT..... | 175 |
| 25.8 —POST-TENSIONING ANCHORAGES AND COUPLERS—OUT OF SCOPE..... | 177 |
| 25.9 —ANCHORAGE ZONES FOR POST-TENSIONED TENDONS—OUT OF SCOPE..... | 178 |
| TABLES AND FIGURES OF CHAPTER 25..... | 179 |
| CHAPTER 26 —CONSTRUCTION DOCUMENTS AND INSPECTION | 185 |
| 26.1 —SCOPE..... | 185 |
| 26.2 —DESIGN CRITERIA..... | 186 |
| 26.3 —MEMBER INFORMATION..... | 186 |
| 26.4 —CONCRETE MATERIALS AND MIXTURE REQUIREMENTS | 186 |

TABLE OF CONTENTS

| | |
|--|------------|
| 26.5 —CONCRETE PRODUCTION AND CONSTRUCTION | 191 |
| 26.6 —GFRP REINFORCEMENT MATERIALS AND CONSTRUCTION REQUIREMENTS | 195 |
| 26.7 —ANCHORING TO CONCRETE—OUT OF SCOPE..... | 197 |
| 26.8 —EMBEDMENTS | 197 |
| 26.9 —ADDITIONAL REQUIREMENTS FOR PRECAST CONCRETE | 197 |
| 26.10 —ADDITIONAL REQUIREMENTS FOR PRESTRESSED CONCRETE—OUT OF SCOPE | 198 |
| 26.11 —FORMWORK | 198 |
| 26.12 —EVALUATION AND ACCEPTANCE OF HARDENED CONCRETE | 200 |
| 26.13 —INSPECTION..... | 203 |
| TABLES AND FIGURES OF CHAPTER 26 | 206 |
| CHAPTER 27 —STRENGTH EVALUATION OF EXISTING CONCRETE STRUCTURES | 209 |
| 27.1 —SCOPE | 209 |
| 27.2 —GENERAL | 209 |
| 27.3 —ANALYTICAL STRENGTH EVALUATION..... | 210 |
| 27.4 —STRENGTH EVALUATION BY LOAD TEST..... | 211 |
| 27.5 —MONOTONIC LOAD TEST PROCEDURE..... | 211 |
| TABLES AND FIGURES OF CHAPTER 27 | 214 |
| APPENDIX A —FIRE RESISTANCE..... | 216 |
| A.1 —SCOPE | 216 |
| A.2 —ONE-WAY SLABS | 216 |
| A.3 —TWO-WAY SLABS..... | 217 |
| A.4 —BEAMS | 217 |
| A.5 —COLUMNS | 218 |
| A.6 —WALLS..... | 219 |
| TABLES AND FIGURES OF APPENDIX A | 221 |
| APPENDIX B —RESIDENTIAL WALLS AND SLABS-ON-GROUND | 224 |
| B.1 —SCOPE | 224 |
| B.2 —SLABS-ON-GROUND..... | 224 |
| B.3 —BELOW GRADE FOUNDATION WALLS | 224 |
| TABLES AND FIGURES OF APPENDIX B | 227 |
| APPENDIX C18 —ALTERNATE CHAPTER 18 – EARTHQUAKE-RESISTANT STRUCTURES..... | 239 |
| C18.1 —SCOPE | 239 |
| C18.2 —GENERAL | 239 |
| C18.3 —ORDINARY MOMENT FRAMES | 241 |
| C18.4 —INTERMEDIATE MOMENT FRAMES | 241 |
| C18.5 —..... | 241 |
| C18.6 —..... | 241 |
| C18.7 —..... | 241 |
| C18.8 —..... | 241 |
| C18.9 —..... | 241 |
| C18.10 —..... | 241 |
| C18.11 —..... | 241 |
| C18.12 —..... | 241 |
| C18.13 —FOUNDATIONS..... | 241 |
| C18.14 —MEMBERS NOT DESIGNATED AS PART OF THE SEISMIC-FORCE-RESISTING SYSTEM | 242 |
| C18.15 —HYBRID REINFORCEMENT | 242 |

TABLE OF CONTENTS

| | |
|---|------------|
| APPENDIX D —EQUIVALENCE BETWEEN SI-METRIC, MKS-METRIC, AND U.S. CUSTOMARY UNITS OF NONHOMOGENOUS EQUATIONS IN THE CODE | 245 |
| COMMENTARY REFERENCES..... | 249 |